


PSH

1


4 WAY HYDRAULIC BRACE SYSTEM

TABULATED DATA
Effective July 18, 2019



PSH

PACIFIC SHORING, LLC
265 Roberts Avenue
Santa Rosa, Ca. 95407
(707) 575-9014



J.M. TURNER ENGINEERING, INC.
CONSULTING ENGINEERS

1325 COLLEGE AVE., SANTA ROSA, CA 95404
(707) 528-4503 FAX (707) 528-4505



JMT #: 16260-4



Contents

Description.....	2
General Information for use of Pacific Shoring 4 Way Hydraulic Brace System.....	3
Classification of Soil Types.....	3
Determining 4 Way Hydraulic Brace System Configurations.....	5
4 Way Brace System Components.....	6
Allowable 4 Way Brace Frame length for Vertical Spacing	7
Determining Weight of 4 Way Hydraulic Brace System.....	10
Geometric Properties for Engineering Design.....	11
4 Way Hydraulic Brace System Installation and Removal.....	12
Safe Handling and Use of 4 Way Hydraulic Brace Systems	13


Description

The Pacific Shoring 4 Way Hydraulic Brace System is constructed from 3" aluminum hydraulic cylinders, 6" square HSS sections and a corner bracket. A 3" hydraulic cylinder with a 3 ft stroke and the proper length HSS section provide excavation lengths and widths from 5 ft to 20 ft. The HSS 6"x6"x3/8" wall extension oversleeve can be obtained separately and used with the system. This tabulated data provides for frame allowable vertical spacing of 2ft, 3ft, 4ft, and 5ft. The closer the spacing the stronger the system will be. Larger length, width, and depths may be achieved using design by an engineer. Sheeting is required behind bracing frame. Any type of sheeting such as plywood, timber, aluminum or steel sheetpiling, and shotcrete or concrete, may be used provided the system is tabulated or calculated for maximum allowable spans. The system is intended to be completely assembled and lifted into place from outside the excavation.

This shoring system is generally used for manhole pits, utility pits and small bore pits. The frames can generally be lifted in with backhoes and boom trucks; however, extreme caution should be used to make sure that allowable lift configurations for the equipment are not exceeded.



02.13.2020



PAGE 1 TO 13 INCL.





General Information for use of Pacific Shoring 4 Way Hydraulic Brace System

1. The 4 Way Hydraulic Brace System tabulated here is based on requirements of Federal OSHA 29CFR, Part 1926, Subpart P-Excavations, and Trenches

1926.652(c)(2)-Option (2) - Designs Using Manufacturer's Tabulated Data.

1926.652(c)(2)(i) -Design of support systems, shield systems, or other protective systems that are drawn from manufacturer's tabulated data shall be in accordance with all specifications, recommendations, and limitations issued or made by the manufacturer.

All provisions of Subpart P apply when utilizing this tabulated data. The contractor's competent person shall use this data to select allowable trench depth, box wall, and strut configuration. The competent person utilizing this tabulated data shall be experienced and knowledgeable of all requirements of Subpart P, and trained in the use and safety procedures for 4 Way Hydraulic Brace System applications.

2. Use of this tabulated data is dependent on first classifying the soil in accordance with OSHA Appendix A, Soil Classification. Classification shall be just prior to installing 4 Way Hydraulic Brace. Soil conditions may change at a later date and require revaluation of the strength and allowable depth.
3. 4 Way Hydraulic Brace System is tabulated based on the effect of a 20,000 lb surcharge load set back 2 ft from the edge of the trench and the equivalent weight effect of the OSHA soil type, see classification of soil types, 2.
4. The depth and spacing given in **Tables 1 and 2** governs the use of Pacific Shoring 4 Way Hydraulic Brace System and not tabulations given by other manufacturers. This tabulated data applies to 4 Way Hydraulic Brace Systems manufactured by Pacific Shoring, LLC. Any alterations to the boxes or variance from this tabulated data shall be indicated in a site-specific plan prepared and approved by a registered engineer.
5. Faces of excavations shall be vertical and the shoring walls shall be within 12 in of the excavation wall.
6. 4 Way Hydraulic Brace Systems shall be installed and removed from outside the trench, see installation and removal procedure.
7. The competent person shall continually monitor the shored excavation for changed conditions such as water seepage, soil movement cracks at the surface, sloughing or raveling, proper surcharge load weight less than 20,000 lbs, and setback a minimum of 2 ft that may damage the shores.
8. Workers shall always enter, exit, and work inside the shored area of the trench.
9. The lowest element, either the sheeting or the frame of 4 Way Hydraulic Brace System must be set a maximum of 2 ft from the bottom of the excavation. The trench depth is the full distance to the bottom of the excavation.



Classification of Soil Types

1. Soil classification shall be in accordance with OSHA Appendix A and classified just prior to installing 4 Way Hydraulic Brace System. Soil conditions may change at a later date and require 4 Way Hydraulic Brace Systems to be reset at a different spacing.
2. The equivalent weight of OSHA soil types* is assumed to be as follows:

• OSHA Type “A” Soil	25 PSF per ft of depth
• OSHA Type “B” Soil	45 PSF per ft of depth
• Type “C-60” Soil	60 PSF per ft of depth**
• OSHA Type “C” Soil	80 PSF per ft of depth
- * These equivalent weights were adapted from OSHA 1926 Subpart P App C, Timber Shoring for Trenches, Tables C-1.1, C-1.2, and C-1.3

** Type C-60 soil is not identified or classified in OSHA Appendix A
3. Type C-60 soil is soil that does not qualify as OSHA Type A, or Type B, can be cut with vertical walls and will stand up long enough to safely insert and pressurize the 4 Way Hydraulic Brace System



Determining 4 Way Hydraulic Brace System Configurations

Shoring use and configurations shall be determined by the user (employer and designated competent person). The following steps are necessary to properly configure and construct a 4 Way Hydraulic Brace System.

1. Define soil type in accordance with OSHA Appendix A
2. Determine surcharge loading. All shoring equipment is designed for a maximum of a 20,000 lb surcharge load set back 2 ft from the edge of the trench. Larger loads shall be set back further or reduced. The competent person shall have training and knowledge in proper determination of surcharge loads.
3. Determine length, width, and depth of shoring requirement.
4. Determine existing facilities and depths that they will enter into the shoring configuration.
5. Determine depths, locations, and clearance requirements of facilities that will be constructed inside the shoring.
6. Determine allowable vertical spacing for the shoring frame as follows:

- a) Use **Table 1-1** thru **1-4 - Allowable Vertical Spacing of the 4 Way Hydraulic Brace Frame.**

Using maximum required length and depth determine allowable vertical spacing.

Example-The excavation is to be 10 ft wide by 16 ft long by 10 ft deep in C-60 soil

Entering **Table 1-1** with 5 ft vertical spacing at 10 ft deep

In C-60 soil the allowable frame length is 12 ft. This is less than 16 ft - move to table with less vertical spacing.

Entering **Table 1-3** with 3 ft vertical spacing at 10 ft deep

In C-60 soil the allowable frame length is 16 ft.






Space the frames at 3 ft on center

- b) Check allowable spans for sheeting using tabulated data or engineering for the sheeting being used. If allowable spans are less than 3 ft the sheeting spans control the vertical spacing of the frames

PSH

6

4 Way Brace System Components



Hydraulic brace components are assembled, rigged and set from outside the excavation

Allowable 4 Way Brace Frame length for Vertical Spacing

Use the following tables to determine the allowable vertical spacing of the 4 Way Hydraulic Brace Frame.

- **Table 1-1** **5 ft spacing**
- **Table 1-2** **4 ft spacing**
- **Table 1-3** **3 ft spacing**
- **Table 1-4** **2 ft spacing**

Sheeting Table		
Designation	Material	Grade/Yield Stress
(1)	1-1/8"-2.4.1 int APA Plywood	S-2
(1)	Finland Form 3/4" All-Birch	S-1
(2)	1" Steel Plate	ASTM A36
(3)	Steel Sheet Pile (Minimum Section Modulus = 2.5 in ³ /ft)	ASTM A328
(4)	Aluminum Sheet Pile (Minimum Section Modulus = 1.13 in ³ /ft)	6061-T6




Table 1-1 ALLOWABLE FRAME LENGTH FOR 5 FT VERTICAL SPACING ^{(2) (3)}					
Excavation Depth (ft)	Vertical Spacing (ft)	Allowable Frame Length / Width			
		OSHA Soil Type			
		A-25	B-45	C-60	C-80
6	5	20	20	16	13
8	5	20	20	14	11
10	5	20	16	12	10
12	5	20	14	11	9
14	5	20	13	10	8
16	5	18	12	10	7
18	5	17	12	9	7
20	5	16	11	8	6



Table 1-2 ALLOWABLE FRAME LENGTH FOR 4 FT VERTICAL SPACING ^{(2) (3)}					
Excavation Depth (ft)	Vertical Spacing (ft)	Allowable Frame Length / Width			
		OSHA Soil Type			
		A-25	B-45	C-60	C-80
6	4	20	20	18	15
8	4	20	20	16	13
10	4	20	17	14	11
12	4	20	26	13	10
14	4	20	15	12	9
16	4	20	14	11	9
18	4	19	13	10	8
20	4	18	12	10	7

Table 1-3 ALLOWABLE FRAME LENGTH FOR 3 FT VERTICAL SPACING ^{(2) (3) (4)}					
Excavation Depth (ft)	Vertical Spacing (ft)	Allowable Frame Length / Width			
		OSHA Soil Type			
		A-25	B-45	C-60	C-80
6	3	20	20	20	17
8	3	20	20	18	15
10	3	20	20	16	13
12	3	20	18	15	12
14	3	20	17	14	11
16	3	20	16	13	10
18	3	20	15	12	10
20	3	20	14	11	9



Table 1-4 ALLOWABLE FRAME LENGTH FOR 2 FT VERTICAL SPACING ^{(1) (2) (3) (4)}					
Excavation Depth (ft)	Vertical Spacing (ft)	Allowable Frame Length / Width			
		OSHA Soil Type			
		A-25	B-45	C-60	C-80
6	2	38	27	21	18
8	2	33	23	19	15
10	2	30	21	17	14
12	2	27	19	15	12
14	2	25	17	14	11
16	2	24	16	13	11
18	2	22	15	12	10
20	2	21	15	12	10

Table 1 Notes

1. Interpolation between tables is OK.
2. Tables assume dewatering is to the bottom of the excavation.
3. Tables assume a maximum surcharge of 20,000 lbs.
4. Hydraulic frames must be firmly supported at allowable spacing using chains or cables with a factor of safety of 5:1 resulting in a minimum safe working load of 1000 lbs
5. Hydraulic Frames must be used in conjunction with a sheeting system. See tabulated data or engineering calculations for the sheeting system to be used. The least span from vertical spacing given in these tables or allowable spans for the sheeting will control the design
6. Tabulated Depths are limited to 20 ft deep. Additional depth may be achieved when the design is by a registered civil engineer.



Determining Weight of 4 Way Hydraulic Brace System

Table 2 4 WAY HYDRAULIC FRAME WEIGHT (LBS)								
		Length						
		6	8	10	12	14	16	18
Width	6	1378	1488	1597	1707	1817	1926	2036
	8	1488	1597	1707	1817	1926	2036	2146
	10	1597	1707	1817	1926	2036	2146	2255
	12	1707	1817	1926	2036	2146	2255	2365
	14	1817	1926	2036	2146	2255	2365	2475
	16	1926	2036	2146	2255	2365	2475	2584
	18	2036	2146	2255	2365	2475	2584	2694

Table 2 Notes

1. Weights are based on retracted length. The expanded length weight is the same as the retracted length weight
2. Frame rigging equipment should have a safe working load with a 5:1 factor of safety
3. A competent person shall determine lifting equipment capacity and allowable lift radiuses.
4. A competent person shall add to **Table 2** weights all other additional loads such as rigging weight, wind forces, and dynamic load from swinging and moving.

PSH

11

Geometric Properties for Engineering Design


HSS6x6x3/8

Area =	7.58 IN ²
r =	2.28 IN
Weight	27.41 plf
S _{x-x}	13.20 IN ³
Z =	15.80 IN ³

Material-Steel


ASTM A500-GR B

F _y =	46	ksi
F _u =	58	ksi
E =	10000	ksi



STEEL OVERSLEEVE
HSS 6"X6" X 3/8"

3" Aluminum Hydraulic Cylinder



3" ALUMINUM HYDRAULIC CYLINDER

SWL = 40,000 LBS



4 Way Hydraulic Brace System Installation and Removal

Installation Procedure

A competent person trained in installation and safe use of the system shall be present during installation. Prior to start of the excavation the sheeting and 4 Way Hydraulic Brace System should be at the site and assembled so that the shoring equipment can be installed immediately following the excavation work. The excavation walls should be vertical, straight, and square. The sheeting may be placed prior to setting the frames or after they set in place.

Step 1 Assemble the frame on the surface.

Step 2 Attach lifting harness.

Step 3 Lower shore into trench with properly situated and adequately sized lifting equipment such as backhoe, boom truck, excavator, or crane.

Step 4 Pressurize hydraulics at all 4 corners to minimum 750 psi.

Step 5 Set frames from bottom to top.

Step 6 Use chain support to top of sheeting and between frames to prevent the frames from falling vertically. This may be performed from inside the excavation immediately following installation of the sheeting and frames and prior to performing production work inside the shored excavation.

- Develop a hazard analysis for the procedure.

Removal procedure

Step 1 Develop a removal plan that addresses the following:

- All rigging and release of hydraulics must be performed from a safe secure location.
 - This may require separate rigging harnesses for each ring so that workers do not have to reenter the hole after a ring has been removed.
 - The Hydraulic release tool must be long enough to operate from outside the excavation.
- Alternatively the frames can be removed as backfill is progressing.
 - This requires that the hydraulics must be collapsed enough to allow the frame to pass inside the frames above.
 - It also requires that there is enough room for the frame to pass between the frame and the production work that has been constructed inside the shoring.



Safe Handling and Use of 4 Way Hydraulic Brace Systems

- Most shoring related accidents happen while setting and removing shoring equipment. There should always be a competent person trained and familiar with the shoring system being used at the site during installation.
- Prior to starting the excavation work at the shoring location the competent person should verify that all components and their attachments, bolts, pins, hydraulic pumps, assembly equipment, etc. is present at the site.
- Develop an installation plan and hazard analysis prior to starting the work.
- Check the adequacy and condition of all lifting and rigging equipment
- Provide safe access such as ladders for workers to enter and exit the shoring system.
- Use cables and slings for lifting that have a 5:1 factor of safety. A competent person is to determine the total lift weight.
- Confirm that dewatering is to the bottom of the excavation and that if there is a potential for water inside the excavation there is adequate pumping equipment available at the site.
- There should not be voids behind the sheeting. Backfill all voids with excavated material or small 3/8" minus rock. If the retained soil runs out from behind the sheeting it may be required to use flowable grout to seal it up.
- Check hydraulics at the start of every shift to be sure that they have not bled off.
- Monitor surcharge loading throughout the life of the shoring system installation. A competent person shall determine the proper setback for all surcharge loads over 20,000 lbs.